Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13934181	@ad < "20020830"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 18:09
S2	0	S1 and ((serial adj10 ata) same (dma with (first adj20 party)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:37
S3	5	S1 and ((serial adj10 ata) same (dma))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:03
S4	4	("5561826" | "5604870" | "5758127" | "6684275").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 09:16
S5	0	S1 and ((serial adj10 ata) and (dma with (first adj20 party)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:49
S6	5	S1 and ((serial adj10 ata) same (dma))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:51
S7	244	S1 and ((serial adj10 ata))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:51
S8	13	S7 and (copy near20 data)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:24
S10	7	S7 and (((copy copied duplica$5) with data) same driv$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:01
S11	377	S1 and(((back-up backup) with (device drive)) same scsi)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:03
S12	656	S1 and (((back-up backup copy copie$5 duplicat$5) with (device drive)) same scsi)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:08
S16	169	S12 and ((scsi and (master initiator)) same (drive device))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:44

S17	13934181	@ad < "20020830"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:45
S18	52	S17 and ((scsi and command) same (time adj9 out))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:46
S19	13934181	@ad < "20020830"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:15
S20	1618	S19 and ((read adj2 channel) same (servo))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:17
S21	784	S20 and (hard adj5 drive)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:17
S22	2	"20030204700"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:37
S23	27	(US-20030131125-$ or US-20030204700-$ or US-20030014520-$ or US-20030225966-$ or US-20020199073-$ or US-20030177149-$ or US-20020174377-$ or US-20030145131-$ or US-20020036850-$ or US-20010020277-$ or US-20040044849-$ or US-20040015878-$).did. or (US-6854045-$ or US-6496900-$ or US-6718352-$ or US-6697895-$ or US-6477591-$ or US-6542909-$ or US-6505281-$ or US-6292852-$ or US-6175904-$ or US-5954806-$ or US-5946276-$ or US-5777811-$ or US-5404549-$ or US-5581740-$ or US-5212784-$).did.	US-PGPUB; USPAT	OR	ON	2005/08/05 06:51
S24	13934181	@ad < "20020830"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/05 06:55
S25	1618	S24 and ((read adj2 channel) same (servo))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/05 06:55

S26	784	S25 and (hard adj5 drive)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/05 06:55
S27	10	S26 AND (711/112).COR.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/08/05 06:56
S28	13981501	@ad < "20020830"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 18:11
S29	712	S28 and (((disk disc) near20 (device drive unit)) same (((copy copied copies) with write) cow$7))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 20:59
S30	3	S28 and (sata same (write with command))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 19:44
S31	46	S29 and ((switch button) with (copi$5 copy))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 20:17
S32	21	S29 and cow	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 20:25
S33	208	S29 and (disk same (sector))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 20:29
S34	196	S29 and (disk same (sector and cop$8))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 20:29
S35	1916	S28 and ((disk disc) same ((backup back-up duplicat$9) and sector))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 20:58
S36	17	S28 and (((disk disc) near20 (device drive unit)) same (duplicat$9 and initiator))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/14 21:06